


L Angles



| DWG No. | A(mm) | B(mm) | T(mm) | W.T. (kg/m) | |
|------------|---------|--------|--------------|-------------|---------|
| ☆030580 | 8,5 | 8,5 | 2 | 0,081 | |
| ☆030567 | 9,53 | 9,53 | 0,75 | 0,037 | |
| 0312 | 10 | 10 | 1.0±0.1 | 0,051 | |
| ☆030596 | | | 1.5 | 0,075 | |
| 030116 | | | 2.0±0.1 | 0,098 | |
| 030359 | | | 12 | 一边2,另一边3 | 0,130 |
| 0303 | 12 | 12 | 1.0±0.1 | 0,062 | |
| 030357 | | 6 | 3.1 | 0,125 | |
| 030277 | | 12 | 1.6±0.1 | 0,097 | |
| ☆YL-199024 | 12.5 | 11.5 | 2.0 | 0,118 | |
| SEA-429C | 12,7 | 12.7 | 2,7 | 0,166 | |
| 030556 | 12.7 | 12.7 | 0.75 | 0,05 | |
| 0347 | 15 | 10 | 1.0±0.15 | 0,065 | |
| 030008 | | 12 | 3.0+0.2/-0.1 | 0,195 | |
| 030048 | | | 2.0±0.12 | 0,136 | |
| 030011 | | 15 | 0.8 | 0,063 | |
| 0313 | | | 1.0±0.15 | 0,079 | |
| 030352 | | 27 | 1.2 | 0,129 | |
| 030355 | 18 | 12 | 2.0 | 0,152 | |
| 030114 | 19 | 7 | 1.0 | 0,068 | |
| 030018 | | 19 | 2.0±0.12 | 0,195 | |
| 030019 | | | 3.0 | 0,285 | |
| 030078 | 19,05 | 12.7 | 3.175±0.15 | 0,246 | |
| 030557 | 19,05 | 19.05 | 0.75 | 0,076 | |
| 030316 | | | 1.1 | 0,110 | |
| 030054 | | | 1.27±0.15 | 0,126 | |
| ☆030464 | | | 1.27 | 0,128 | |
| ☆030453 | | | 1.57 | 0,159 | |
| 030334 | | | 1.59 | 0,160 | |
| SEA-439F | | | 2.7±0.15 | 0,259 | |
| ZL-762 | | | 3,18 | 0,306 | |
| 030055 | | | 3.175±0.15 | 0,300 | |
| 0343 | | | 20 | 10 | 1.0±0.1 |
| 030301 | 20±0.25 | 10±0.2 | 1.4±0.15 | 0,109 | |
| 0351 | 20 | 10 | 2.0±0.1 | 0,152 | |
| 030022 | | 15 | 3.0±0.15 | 0,26 | |
| 030302 | | 12 | 1.4 | 0,116 | |
| 030278 | | | 1.6±0.1 | 0,132 | |
| 030035 | | 17 | 2.0±0.15 | 0,190 | |
| 030012 | | | | 0,8 | 0,085 |

| | | | | | |
|----------|-----------|------------|----------------|-------------|-------|
| 0302 | 20 | 20 | 1.0±0.1 | 0,106 | |
| 3F-010 | | | 1.0±0.15 | 0,106 | |
| 030074 | | | 1.6±0.15 | 0,167 | |
| 030037 | | | 2.0±0.15 | 0,206 | |
| ☆030307 | | | 3.0 | 0,301 | |
| 030123 | | | 1.2±0.15 | 0,126 | |
| 030310 | 21.7 | 12 | 1.5 | 0,131 | |
| 030021 | 22 | 12 | 2.0 | 0,173 | |
| 030063 | 22,23 | 12.7 | 3.18±0.15 | 0,273 | |
| 030300 | 24.5±0.25 | 19.5±0.25 | 1.4±0.15 | 0,162 | |
| 030299 | 24.5±0.25 | 19.5±0.25 | 2.4±0.15 | 0,271 | |
| 030279 | 25 | 12 | 1.6±0.1 | 0,153 | |
| 0346 | | 15 | 1.0±0.1 | 0,106 | |
| 0344 | | | 1.5±0.15 | 0,157 | |
| 030103 | | 20 | 1.5+0/-0.15 | 0,176 | |
| 030280 | | | 1.6±0.1 | 0,188 | |
| 0320 | | | 2.0±0.15 | 0,233 | |
| 030007 | | | 2.5±0.15 | 0,288 | |
| 030286 | | 3.0±0.15 | 0,341 | | |
| 0321 | | 25 | 0,85 | 0,113 | |
| 0304 | | | 1.0 | 0,133 | |
| 030291 | | | 1.6±0.1 | 0,210 | |
| 0324 | | | 2.0 | 0,26 | |
| 0322 | | | 3.0±0.14 | 0,382 | |
| 030006 | | | 4.0±0.15 | 0,499 | |
| ☆030465 | | 25.4 | 19.05 | 1.27±0.15 | 0,151 |
| ☆030558 | | | 19.05 | 0.75 | 0,089 |
| ☆030553 | 12.7 | | 1.57 | 0,159 | |
| ☆030466 | 25.39 | | 1.57±0.15 | 0,202 | |
| SEA-425C | 25.4 | | 25.4 | 0.9±0.1 | 0,122 |
| 030109 | | | | 1.02+0.2/-0 | 0,139 |
| 030325 | | | | 1.19±0.15 | 0,164 |
| 030056 | | | | 1.27±0.15 | 0,170 |
| SEA-425 | | | | 2,7 | 0,352 |
| 030057 | | | | 3.175±0.15 | 0,409 |
| 030224 | | | | 3.18 | 0,417 |
| 030303 | | | | 3.18 | 0,418 |
| 030247 | | | | 3.5 | 0,438 |
| ☆030512 | | | | 4.78 | 0,607 |
| ☆030564 | 25.4±0.25 | | 25.4±0.25 | 1.27±0.18 | 0,151 |
| 030387 | 25.4±0.3 | | 25.4±0.3 | 3.18 | 0,422 |
| 030036 | 26 | 22 | 2.0±0.15 | 0,249 | |
| 030243 | 27 | 18 | 2.0+0.15/-0.05 | 0,233 | |
| 030091 | | 20 | 3.0 | 0,358 | |
| 030320 | 28.58±0.3 | 19.05±0.25 | 1.4±0.15 | 0,178 | |
| MX289 | 29 | 29 | 10 | 1,277 | |
| 030053 | | 13 | 3.0±0.15 | 0,325 | |

| | | | | | | |
|-----------|------|-----------|--------------|-------|-----------|-------|
| 0341 | | 15 | 1.0±0.1 | 0,119 | | |
| 030182 | | 18 | 3.0±0.15 | 0,366 | | |
| 030173 | | 19+0/-0.3 | 3.0 | 0,374 | | |
| 0342 | | 20 | 1.0±0.1 | 0,133 | | |
| 5-0001 | | | 1.5±0.15 | 0,197 | | |
| 0332A | | | 2.0±0.15 | 0,26 | | |
| 0332 | | | 3.0±0.15 | 0,382 | | |
| 030034 | | 22 | 2.0±0.15 | 0.271 | | |
| 030256 | | 25 | 6.0 | 0.797 | | |
| 030014 | 30 | 30 | 0,9 | 0,144 | | |
| 0314 | | | 1.0±0.15 | 0.160 | | |
| GCB-0682 | | | 1.9+0-0.15 | 0.300 | | |
| ☆030609 | | | 2.0 | 0.314 | | |
| 030179 | | | 2.1±0.1 | 0.330 | | |
| 030141 | | | 2.36+0/-0.15 | 0,369 | | |
| 030030 | | | 2.5±0.15 | 0.390 | | |
| 0328 | | | 2.75±0.1 | 0,427 | | |
| *0316 | | | 2.8±0.1 | 0,434 | | |
| 0325 | | | 3.0±0.15 | 0,463 | | |
| 030328 | | | 13 | 1.557 | | |
| 030163 | | | 30 | 41 | 3 | 0,553 |
| YL-163146 | | | 31 | 31 | 8.0 | 1.166 |
| 030085 | | | 31,75 | 31.75 | 3.18±0.15 | 0.530 |
| 030321 | 3.17 | 0.531 | | | | |
| ☆030589 | 2.03 | 0.345 | | | | |
| 030281 | 32 | 20 | 1.6±0.1 | 0.219 | | |
| ☆030619 | 32 | 32 | 3.0 | 0.496 | | |
| 030016 | 33 | 27 | 3 | 0,463 | | |
| *030017 | | | 4 | 0,607 | | |
| 030009 | | 30 | 4 | 0,639 | | |
| 030358 | 35 | 17 | 3.0 | 0.398 | | |
| 030102 | | 20 | 1.5+0/-0.15 | 0,217 | | |
| GJ-KM08 | 37 | 12 | 1.5±0.15 | 0,193 | | |
| 030004 | | 12.7 | 1.6+0.2/-0 | 0.222 | | |
| YL-163147 | | 37 | 7.0 | 1.266 | | |
| 0339 | 38 | 19 | 2,8 | 0,411 | | |
| 030371 | | 24 | 3.5 | 0.555 | | |
| KM05 | | | 4.5±0.15 | 0,699 | | |
| *0333 | | 25 | 3.0±0.15 | 0.488 | | |
| ☆030613 | | 25 | 4.0 | 0.640 | | |
| CW02-07 | | 28 | 4.0±0.15 | 0,672 | | |
| 0338 | | 30 | 2.0±0.15 | 0,358 | | |
| ☆030579 | | 30 | 2.4 | 0.427 | | |
| 0323 | | 38 | 2.9±0.15 | 0,574 | | |
| 030246 | | | 3.5 | 0.677 | | |
| 030059 | | 32 | 4.0±0.15 | 0,715 | | |
| 030208 | | 35 | 3.0±0.15 | 0,569 | | |

| | | | | | | | |
|-----------|-------|----------|------------|-----------|----------|----------|-------|
| *HC506 | | 19.05 | 3.175±0.15 | 0,463 | | | |
| 030083 | | 25.4 | 1.73±0.15 | 0,295 | | | |
| ☆030588 | | 25.4 | 1.4 | 0.240 | | | |
| 030097 | | 31.75 | 1,42 | 0,284 | | | |
| SEA-423 | 38,1 | 38.1 | 2.7±0.15 | 0,538 | | | |
| 030051 | | | 3,175 | 0,628 | | | |
| 030089 | | | 3,175 | 0,628 | | | |
| ZL-755 | | | 3,18 | 0,643 | | | |
| 030381 | | | 3.18 | 0.646 | | | |
| *HC505 | | | 4,76 | 0,918 | | | |
| ZL-756 | | | 4,78 | 0,945 | | | |
| 030289 | | | 4.5 | 0.874 | | | |
| 030419 | | | 4.76 | 0.941 | | | |
| 030304 | | | 6.35 | 1.220 | | | |
| 030384 | | | 6.35 | 1.249 | | | |
| 030385 | | | 38.1±0.41 | 38.1±0.41 | 4.75 | 0.950 | |
| 030348 | | | 40 | 40 | 12.5 | 3.0 | 0.398 |
| 0340 | | | | | 15 | 1.5±0.15 | 0,217 |
| 030282 | 20 | 1.6±0.1 | | | 0.253 | | |
| 030562 | | 2.0 | | | 0.314 | | |
| 030311 | 25 | 1.6 | | | 0.275 | | |
| 030104 | | 2,7 | | | 0,455 | | |
| 030287 | | 3.0±0.15 | | | 0.504 | | |
| ☆030610 | 30 | 2.0 | | | 0.369 | | |
| *YLA-0008 | | 4,5 | | | 0,796 | | |
| 4-0001 | 40 | 40 | | | 1.0±0.15 | 0,214 | |
| 0315 | | | | | 1.5±0.15 | 0,319 | |
| 030292 | | | | | 1.6±0.1 | 0.340 | |
| 0326 | | | | | 2.0±0.15 | 0,423 | |
| 030075 | | | | | 2.5±0.15 | 0,525 | |
| 030294 | | | | | 3.0 | 0.626 | |
| 030040 | | | | | 3.3±0.15 | 0,686 | |
| 030351 | | | | | 3.4 | 0.706 | |
| 0327 | | | | | 3,55 | 0,735 | |
| *0317 | | | | | 3,8 | 0.785 | |
| 030095 | | | 4.0 | 0,824 | | | |
| 030140 | | | 2,85 | 0,595 | | | |
| 030346 | 45 | 13 | 2.0 | 0.304 | | | |
| 030073 | 40,5 | 23 | 2.0 | 0,333 | | | |
| 030163 | 41 | 30 | 3.0 | 0,553 | | | |
| 030369 | 42 | 60 | 4.0 | 1.062 | | | |
| 030370 | 42.23 | 18 | 3.0 | 0.465 | | | |
| 030072 | 45 | 45 | 20 | 3.0±0.15 | 0,504 | | |
| 030354 | | | 24 | 2.0 | 0.363 | | |
| 030216 | | | 45 | 4.8 | 1.090 | | |
| 030372 | 46.73 | 18 | 3.0 | 0.502 | | | |
| 030347 | 48.48 | 12 | 1.4 | 0.223 | | | |
| 030283 | | 25 | 1.6±0.1 | 0.318 | | | |

| | | | | | | |
|------------|----------|-----------|--------------|-------|-----------|-------|
| 030288 | | 25 | 3.0±0.15 | 0.585 | | |
| 030043 | | 30 | 4.0 | 0,824 | | |
| 1501-19 | | 38 | 5.0 | 1,125 | | |
| | | | 3.0 | 0.691 | | |
| 030314 | 50 | 50 | 1.6 | 0.427 | | |
| ☆030188 | | | 2.0 | 0.531 | | |
| ☆030422 | | | 2.5 | 0.661 | | |
| 030172 | | | 3.0 | 0,789 | | |
| 0318 | | | 3.9±0.16 | 1,016 | | |
| 030106 | | | 5.0 | 1,286 | | |
| 030164 | | | 6.0 | 1,528 | | |
| 030340 | | | 13 | 2.967 | | |
| 030324 | | | 50.8 | 25.4 | 1.57±0.15 | 0.325 |
| 030434 | | | | | 2.36 | 0.482 |
| SUA-127B | 2,7 | 0,538 | | | | |
| 030094 | 3.0±0.15 | 0,595 | | | | |
| 030203 | 3,175 | 0,641 | | | | |
| 030326 | 50.8 | 1.57±0.15 | | 0.436 | | |
| SEA-439 | | 2.7±0.15 | | 0,724 | | |
| 030204 | | 3,175 | | 0,864 | | |
| 030382 | | 3.18 | | 0.871 | | |
| ZL-761 | | 3,18 | | 0,876 | | |
| ZL-757 | 4,78 | 1,28 | | | | |
| *SEA-439C | (无模)6 | 1,554 | | | | |
| 030090 | 6,35 | 1,639 | | | | |
| 030223 | 6.35 | 1.684 | | | | |
| 030383 | 6.35 | 1.695 | | | | |
| 030395 | 50.8±0.6 | 50.8±0.6 | 6.35±0.2 | 1.696 | | |
| 030005 | 55 | 45 | 5.0 | 1.328 | | |
| 030309 | 57 | 17 | 2.5 | 0.484 | | |
| 030189 | 60 | 15 | 5.0 | 0,949 | | |
| 030041 | | 60 | 6.0 | 1,854 | | |
| 030378 | | | 3.0 | 0.951 | | |
| 030222 | 63.5 | 63.5 | 6.35 | 2.130 | | |
| 030386 | | 88.9 | 6.35 | 2.588 | | |
| 0345 | 65 | 20 | 1.5±0.15 | 0,339 | | |
| 030033 | | 35 | 6.0 | 1,527 | | |
| YL-168049 | 65.5 | 10 | 3.0 | 0.587 | | |
| 030284 | 70 | 25 | 1.6±0.1 | 0.405 | | |
| 030313 | | 40 | 1.5±0.15 | 0.441 | | |
| 030293 | | | 1.6 | 0.470 | | |
| 030210 | | | 2,8 | 0,813 | | |
| 030408 | | | 3.0 | 0.870 | | |
| ☆YL-163202 | 70 | 59 | 3.1+0.1/-0.2 | 1.053 | | |
| 0329 | 75 | 75 | 12 | 4,488 | | |
| 030031 | | 25.4 | 3.0 | 0,802 | | |
| ☆030426 | | 25.4 | 3.175 | 0.864 | | |
| 030084 | | 38.1 | 2.39±0.15 | 0,739 | | |

| | | | | | |
|-----------|------------|-----------|-----------------|-------------|-------|
| 030327 | | | 1.14+0.18/-0.13 | 0.396 | |
| 030332 | | | 1.14+0.18/-0.08 | 0.400 | |
| 030404 | | 50.8 | 1.78 | 0.614 | |
| 030205 | 76,2 | | 3,175 | 1,065 | |
| ZL-759 | | | 4,78 | 1,624 | |
| 030305 | | | 6.35 | 2.129 | |
| ☆030598 | | 76.2 | 6.35 | 2.588 | |
| ZL-758 | | | 6,35 | 2,554 | |
| 030032 | | | 3.0 | 1,215 | |
| 0331C | | | 6.0 | 2.380 | |
| 030082 | 79,38 | 22.22 | 1.58±0.15 | 0,435 | |
| ☆030551 | 76.71 | 25.65 | 1.8 | 0.494 | |
| YL-163078 | 78 | 30 | 2.0 | 0.572 | |
| ☆030560 | | 20 | 2.0 | 0.531 | |
| ☆030550 | | 20 | 3.0 | 0,789 | |
| ☆030631 | | 22 | 3.0 | 0.805 | |
| ☆030238 | | 40 | 3.0 | 0.951 | |
| 030396 | | 80 | 50 | 4.0 | 1.366 |
| ☆030630 | | | 53 | 3.0 | 1.057 |
| 030087 | | | 60 | 5.0 | 1,829 |
| 030042 | | | | 6.0±0.18 | 2,179 |
| ☆030591 | | | 80 | 6.0 | 2.504 |
| 030088 | 85 | 80 | 5.0 | 2,168 | |
| 030211 | | 90 | 20 | A边2.8厚B边15厚 | 1,382 |
| 030098 | | | 22 | 5.0±0.2 | 1.450 |
| 030093 | | | 50 | 5.0 | 1,829 |
| 030050 | | | 70 | 10(另边12) | 4,395 |
| 030137 | | | 90 | 6.0 | 2,829 |
| 030202 | 100 | 100 | 7,5 | 3,913 | |
| TL019 | | 101 | 20 | 3,1 | 0.990 |
| TL020 | | | 40 | 3,1 | 1,158 |
| 030206 | | 101.6 | 50,8 | 3,175 | 1.310 |
| ZL-760 | | | | 4.78±0.15 | 1,976 |
| GC091 | | | 76.2 | 6.35±0.2 | 2.950 |
| 030388 | | | 101.6 | 6.35 | 3.480 |
| YL-168048 | 120 | 71 | 10 | 4.887 | |
| 030207 | 127 | 50.8 | 3,175 | 1,503 | |
| 030389 | 152.4±1.12 | 63.5±0.61 | 6.35±0.2 | 3.703 | |
| GC055 | | 177,8 | 38.1 | 3,10 | 1,788 |
| GC092 | | | 50.8 | 6.35±0.2 | 3,825 |
| ☆ | | | | | |
| ☆ | | | | | |
| ☆ | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

注：*为有更改的型号，☆为新增型号(2008-08-22)。

| |
|---------------------|
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| 内角处圆角R0.5 |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| 改壁厚 |
| |
| 外转角倒R13 |
| |
| |
| |
| 内转角处R4.78,两端内侧R3.17 |
| 两端内侧V |
| |
| |
| |
| 改壁厚 |
| |
| |
| |
| 外转角倒R0.5 |
| |
| |
| |
| |
| |
| 改重量 |
| |
| 带V型槽 |
| |
| |
| |
| 外内转角处R2,两端内侧R3 |
| |
| |

| |
|----------------------------|
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| 外转角1-R1.0, 两端4-R0.5 |
| |
| 外转外1-R13 |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| 内侧转角倒R3.18,按美国标准验收 |
| 两端内侧R3.18,内转角R6.35 |
| 两端内侧R3.18,内转角R4.78 |
| 改规格 |
| |
| 两端内侧R3.18,内转角R6.35 |
| 两端倒R0.79,内侧转角倒R6.35 |
| 内转角倒R6.35,按美国标准验收 |
| 改重量 |
| |
| |
| |
| |
| |
| 两端内侧R3.18,内侧转角R6.35 |
| 内侧转角倒R6.35,其余倒R0.4,按美国标准验收 |
| |
| 有两V |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| 无装饰面 |
| |
| |
| |
| |
| |

