


# Rectangle Tubes



| DWG No. | A(mm)         | B(mm)         | T(mm)        | W.T. (kg/m) |
|---------|---------------|---------------|--------------|-------------|
| 050635  | 10            | 6.0           | 0.8          | 0.062       |
| 050051  |               | 8.6           | 0.8±0.15     | 0.0737      |
| 050223  | 12            | 7.5           | 1.0          | 0.095       |
| ☆050629 | 12            | 9.0           | 1.2          | 0.121       |
| ☆050653 | 12            | 8.0           | 1.5±0.15     | 0.136       |
| 050271  | 15            | 4.8           | 0.8          | 0.079       |
| 050084  |               | 6             | 0.8          | 0.084       |
| 050396  |               | 8.8           | 0.8          | 0.096       |
| 0147    |               | 10            | 0.9±0.1      | 0.113       |
| ☆050654 | 15            | 11            | 1.25±0.15    | 0.157       |
| 050496  | 15.75±0.13    | 9.52±0.13     | Solid        | 0.414       |
| 050177  | 18            | 6             | 0.8          | 0.097       |
| SS-83   | 18.5          | 8.5           | 0.8          | 0.110       |
| 050075  | 19.05         | 12.7          | 1.2±0.16     | 0.191       |
| 050079  | 20            | 6             | 0.8          | 0.106       |
| 050040  |               | 9             | 0.8          | 0.119       |
| 0172    |               | 10            | 1.0±0.1      | 0.152       |
| 050034  |               | 14            | 0.8          | 0.140       |
| 0194    | 22            | 11            | 0.7±0.15     | 0.120       |
| 050363  |               | 20            | 1.2          | 0.258       |
| 050189  | 23            | 6             | 0.7          | 0.105       |
| 050250  |               | 12            | 0.9±0.1      | 0.153       |
| 0146    | 24            | 12.3          | 0.75         | 0.139       |
| 050365  | 24.76+0/-0.25 | 14.86+0/-0.25 | 1.07+0.13/-0 | 0.221       |
| 050228  | 25            | 6             | 0.8          | 0.127       |
| 050088  |               | 8             | 宽边1.15,窄边1.2 | 0.181       |
| 050216  |               | 12            | 0.7          | 0.130       |
| 050348  |               | 15            | 1.7          | 0.337       |
| 050412  |               | 15            | 2.0          | 0.390       |
| 0145    |               | 12.7          | 0.9          | 0.175       |
| 050108  |               |               | 1.1          | 0.212       |

|           |       |       |               |               |       |
|-----------|-------|-------|---------------|---------------|-------|
| YL-9216   |       | 18    | 2.0           | 0.421         |       |
| 050037    |       | 18    | 4.0           | 0.759         |       |
| NFJ-09    |       | 20    | 1.2±0.15      | 0.277         |       |
| 050472    |       | 20    | 2.0           | 0.444         |       |
| 050700    | 25.3  | 13    | 1.0           | 0.197         |       |
| 050089    | 25.4  | 12.7  | 1.5+0.4/-0    | 0.323         |       |
| 050304    |       | 12.7  | 2.03          | 0.339         |       |
| 050313    |       | 13    | 宽边4,窄边5       | 0.684         |       |
| ☆050650   |       | 15.88 | 1.22          | 0.259         |       |
| 050626    |       | 19.05 | 3.18          | 0.669         |       |
| 050669    |       | 19.05 | 4.76          | 0.920         |       |
| 050143    | 26.03 | 16.61 | 宽边1.32,窄边1.27 | 0.291         |       |
| 050087    | 30    | 8     | 宽边1.2,窄边2.5   | 0.259         |       |
| ☆050681   |       | 10    | 0.82          | 0.173+0.2/-0  |       |
| 050344    |       | 10    | 1.3           | 0.264         |       |
| 050296    |       | 13    | 1.3           | 0.284         |       |
| 0149      |       | 15    |               | 1.0±0.15      | 0.233 |
| 20214     |       |       |               | 1.25          | 0.288 |
| 050285    |       | 20    |               | 1.1±0.1       | 0.285 |
| YLA-0103  |       |       |               | 1.5           | 0.382 |
| ☆050604   |       |       |               | 2.0           | 0.499 |
| 050263    |       |       |               | Solid         | 1.626 |
| YLA-A0103 |       | 25    |               | 1.5±0.15      | 0.423 |
| 050081    | 32    | 12    | 2.0           | 0.434         |       |
| 050262    |       | 13    | 1.1           | 0.247         |       |
| 050130    |       | 21    | 0.8           | 0.222         |       |
| 050379    | 33    | 30    | 1.5           | 0.488         |       |
| 050009    | 35    | 5     | 1.0±0.15      | 0.206         |       |
| 050215    |       | 15    | 1.0±0.1       | 0.260         |       |
| ☆050708   |       | 15    | 1.2           | 0.310         |       |
| 0127      |       | 18    | 1.5±0.15      | 0.407         |       |
| 050522    | 38    | 20    | 1.5           | 0.447         |       |
| 0128A     |       | 25    |               | 0.9±0.1       | 0.299 |
| 050539    |       |       |               | 1.0+0.1/-0.05 | 0.331 |
| JS034     |       |       |               | 1.0±0.1       | 0.327 |
| 050097    |       |       |               | 1.2±0.15      | 0.394 |
| 050336    |       |       |               | 1.5±0.12      | 0.472 |

|            |           |             |                  |       |       |
|------------|-----------|-------------|------------------|-------|-------|
| 050097H    |           |             | 2.0±0.15         | 0.640 |       |
| 050521     |           |             | 2.0              | 0.624 |       |
| *Z024      |           |             | 1.3±0.15         | 0.424 |       |
| YL-168140  | 39        | 34          | 5.0              | 1.645 |       |
| YL-168141  |           |             | 3.0              | 1.037 |       |
| 050405     | 38.1±0.25 | 19.05±0.25  | 1.52             | 0.456 |       |
| 050419     | 38.1±0.25 | 19.05±0.25  | 2.29             | 0.644 |       |
| 050305     | 38.1      | 19.05       | 2.03             | 0.535 |       |
| 050546     |           | 19.05       | 4.78,有两边4.78±0.2 | 1.233 |       |
| 050459     |           | 25.4        | 1.02             | 0.329 |       |
| 050458     |           | 25.4        | 1.27±0.25        | 0.407 |       |
| 050420     |           | 38.1±0.25   | 25.4±0.25        | 1.57  | 0.511 |
| 050416     |           | 38.1±0.25   | 25.4±0.25        | 2.29  | 0.720 |
| 050545     |           | 38.1        | 25.4             | 3.18  | 1.003 |
| ☆YL-168141 |           | 39.0        | 34               | 3.0   | 1.037 |
| ☆YL-168140 | 39.0      | 34          | 5.0              | 1.645 |       |
| LG077      | 39.6      | 18.7+0/-0.3 | 1.0              | 0.304 |       |
| 050266     | 40        | 16          | 1.1              | 0.321 |       |
| 050173     |           | 8           | 1.0              | 0.249 |       |
| 050153     |           | 9           | 2.5              | 0.596 |       |
| 050467     |           | 10          | 1.1              | 0.285 |       |
| *YLA-0193  |           | 19          | 0.8±0.15         | 0.248 |       |
| 050244     |           | 20          | 1.0              | 0.314 |       |
| 050288     |           | 20          | 1.2              | 0.375 |       |
| 050288C    |           | 20          | 1.4              | 0.434 |       |
| GJ-KM17    |           | 20          | 1.7              | 0.522 |       |
| JS028      |           | 28          | 1.2              | 0.427 |       |
| 050269     |           | 30          | 1.0              | 0.369 |       |
| 0173       |           | 30          | 3.0±0.15         | 1.040 |       |
| 0173-1     |           | 30          | 3.0±0.15         | 0.978 |       |
| JS011      |           | 31          | 1.2              | 0.435 |       |
| ☆050605    |           | 35          | 2.0              | 0.77  |       |
| ☆YL-168146 |           | 42          | 28.5             | 2.0   | 0.718 |
| 050347     |           | 43.48       | 31.75            | 1.27  | 0.511 |
| 050014     | 44        | 23          | 1.2              | 0.420 |       |
| 050126     |           | 25          | 1.4              | 0.502 |       |
| 0193       |           | 25          | 1.2±0.15         | 0.433 |       |

|           |    |    |               |       |
|-----------|----|----|---------------|-------|
| *140-10   |    | 33 | 3.0±0.15      | 1.155 |
| 050124    | 45 | 30 | 1.0           | 0.396 |
| 050125    |    | 30 | 2.5           | 0.949 |
| 050158    |    | 40 | 3.0           | 1.285 |
| 050047    | 46 | 15 | 1.5±0.15      | 0.471 |
| 0187      |    | 30 | 2.0±0.15      | 0.780 |
| 070372    | 50 | 7  | 1.1           | 0.326 |
| 050390    |    | 10 | 1.1           | 0.339 |
| 050028    |    | 12 | 1.5±0.15      | 0.480 |
| 050221    |    | 15 | 1.2+0.1/-0.05 | 0.407 |
| 050056    |    |    | 1.5           | 0.504 |
| YL-168100 |    | 19 | 1.5           | 0.535 |
| 050186    |    | 20 | 0.9           | 0.333 |
| ☆050677   |    |    | 1.1           | 0.404 |
| 050528    |    |    | 1.4           | 0.510 |
| 0130      |    |    | 3.0±0.15      | 1.041 |
| 050226    |    |    | Solid         | 2.7   |
| 0124A     |    | 25 | 0.9±0.1       | 0.357 |
| 0124B     |    |    | 1.1+0.05/-0.1 | 0.434 |
| *0124     |    |    | 1.2+0.1/-0.05 | 0.472 |
| 0124D     |    |    | 1.5±0.1       | 0.585 |
| 050318    |    |    | 2.0±0.1       | 0.77  |
| ☆050697   |    |    | 1.6           | 0.623 |
| 0124T     |    |    | 2.0±0.15      | 0.770 |
| ZL-304    |    |    | 1.6(另两窄边1.1)  | 0.564 |
| 050335    |    |    | 2.5±0.13      | 0.949 |
| 0129      |    |    | 3.0±0.15      | 1.122 |
| 050493    |    | 30 | 1.0           | 0.423 |
| 0131-1    |    |    | 1.2+0.1/-0.05 | 0.505 |
| 050354    |    |    | 2.0           | 0.824 |
| ☆050658   |    |    | 3.0           | 1.203 |
| 0131      |    |    | 5.0           | 1.897 |
| 050180    |    | 35 | 1.5           | 0.667 |
| *0135A    |    | 38 | 0.9           | 0.421 |
| *0135B    |    |    | 1.1           | 0.511 |
| 0135      |    |    | 1.2+0.1/-0.05 | 0.557 |
| ZL-328    |    | 40 | 上下1.6,左右1.1   | 0.653 |

|           |           |           |               |                |          |       |
|-----------|-----------|-----------|---------------|----------------|----------|-------|
| 050343    |           | 40        | 2.0+0/-0.25   | 0.932          |          |       |
| 050182    |           | 44        | 1.2±0.15      | 0.596          |          |       |
| 050022    |           |           | 3.0±0.15      | 1.431          |          |       |
| 050468    | 50.8      | 25.4      | 2.11±0.15     | 0.839          |          |       |
| 050507    |           | 25.4      | 2.29          | 0.905          |          |       |
| 050345    |           | 25.4      | 3.18          | 1.226          |          |       |
| 050436    | 50.8±0.25 | 25.4±0.25 | 2.29          | 0.885          |          |       |
| 050100    | 50.8      | 25.4      | 3.18±0.15     | 1.226          |          |       |
| ☆050100-A |           | 25.4      | 3.175         | 1.277          |          |       |
| 050317    |           | 25.4      | 上下1.65,左右1.78 | 0.681          |          |       |
| 050238    |           | 25.4      | 3.18          | 1.137          |          |       |
| 050479    |           | 38.1      | 3.17          | 1.449          |          |       |
| ☆050636   |           | 44.45     | 3.18          | 1.559          |          |       |
| 050185    |           | 52.07     | 14.61         | 宽边1.145,窄边1.27 | 0.433    |       |
| LG945     | 54        | 25        | 1.7           | 0.697          |          |       |
| YL-168142 | 54.3      | 34        | 5.0           | 2.058          |          |       |
| YL-168143 |           |           | 3.0           | 1.285          |          |       |
| 050222    | 55        | 11        | 1.0           | 0.347          |          |       |
| 5816      | 58        | 25        | 1.2±0.1       | 0.524          |          |       |
| 5816M     |           |           | 1.0±0.1       | 0.439          |          |       |
| 050351    | 60        | 12        | 1.2           | 0.453          |          |       |
| 050181    |           | 20        | 2.0           | 0.824          |          |       |
| 050300    |           | 25        | 1.2           | 0.537          |          |       |
| 050320    |           | 30        |               | 0.8            | 0.383    |       |
| 0170      |           |           |               | 1.0±0.1        | 0.477    |       |
| 050036    |           |           |               | 1.4            | 0.662    |       |
| 050110    |           |           |               | 0.93+0/-0.15   | 0.444    |       |
| 050078    |           |           |               | 2.0±0.15       | 0.932    |       |
| 050035    |           |           |               | 35             | 1.4±0.15 | 0.700 |
| 050083    |           |           |               | 40             | 2.0±0.15 | 1.041 |
| 050529    |           | 50        | 1.4           | 0.813          |          |       |
| 050179    |           | 50        | 3.0±0.15      | 1.691          |          |       |
| 050482    |           | 62        | 18            | 窄边4.0,宽边4.25   | 1.634    |       |
| 050422    |           | 63.5      | 25.4          | 1.4            | 0.658    |       |
| 050362    | 38.1      |           | 3.18          | 1.672          |          |       |
| 050264    | 64        | 15        | 1.0           | 0.417          |          |       |
| 050265    |           | 6.5       | 1.0           | 0.371          |          |       |

|            |        |          |               |              |
|------------|--------|----------|---------------|--------------|
| 050048     |        | 15       | 1.5           | 0.617        |
| 050358     | 65±0.5 | 16±0.5   | 1.4±0.2       | 0.578        |
| 050453     | 65     | 18       | 3.0±0.15      | 1.252        |
| LG005      | 68     | 35       | 1.2±0.15      | 0.650        |
| JWZ-14     | 68.5   | 20       | 2.0           | 1.131        |
| 050483     | 69     | 8        | 1.2           | 0.485        |
| 050471     | 69.5   | 31.5     | 2.0           | 1.005        |
| 050169     | 70     | 20       | 1.1+0.05/-0.1 | 0.523        |
| 050147     |        | 25       | 1.0±0.15      | 0.504        |
| ☆050706    |        | 25       | 1.4           | 0.670        |
| 050015     |        | 44       | 2.0±0.15      | 1.192        |
| 050187     |        | 50       | 2.0           | 1.257        |
| ☆YL-168176 |        | 50       | 3.0           | 1.847        |
| 050161     |        | 60       | 3.0           | 2.016        |
| 050455     |        | 72       | 18            | 0.8+0.1/-0.2 |
| 050487     | 18     |          | 0.9           | 0.428        |
| 050531     | 72.2   | 21.2     | 2.0±0.15      | 0.969        |
| 050162     | 73     | 18       | 1.0           | 0.475        |
| 050006     | 75     | 50       | 3.0±0.15      | 1.935        |
| 050044     |        |          | 1.6           | 1.056        |
| ☆050673    |        |          | 2.5           | 1.626        |
| 050105     | 76     | 10       | 1.4±0.15      | 0.631        |
| 76B13S     |        | 20       | 1.2+0.05/-0.1 | 0.604        |
| ☆GC7608F   |        | 19       | 0.80+0.1-0.2  | 0.405        |
| 050484     |        | 25       | 0.75+0.1-0.2  | 0.404        |
| *0121A     |        |          | 0.9±0.1       | 0.484        |
| 050202     |        |          | 1.0           | 0.537        |
| *0121B     |        |          | 1.1+0.05/-0.1 | 0.589        |
| 0121       |        |          | 1.2+0.1/-0.05 | 0.641        |
| *0121C     |        |          | 1.4±0.1       | 0.745        |
| 0121K      |        |          | 1.6±0.1       | 0.848        |
| 0182       |        |          | 2.0±0.15      | 1.051        |
| 0121G      |        | 3.0±0.15 | 1.545         |              |
| 0183       |        | 30       | 1.8±0.15      | 0.999        |
| ☆050460    |        | 32       | 2.5           | 1.400        |
| *0137      |        | 38       | 1.1±0.15      | 0.666        |
| 050127     |        | 38       | 1.3±0.15      | 0.785        |

|           |            |           |                |             |
|-----------|------------|-----------|----------------|-------------|
| 4528      |            | 38        | 4(宽6)          | 2.623       |
| 050457    |            | 38        | 3.0            | 1.840       |
| 050157    |            | 40        | 3.0            | 1.789       |
| *0139A    |            | 44        | 0.9±0.1        | 0.577       |
| 0139B     |            |           | 1.1+0.05/-0.1  | 0.702       |
| 0139      |            |           | 1.2+0.1/-0.05  | 0.765       |
| *0139C    |            |           | 1.4±0.1        | 0.889       |
| *0139K    |            |           | 1.6±0.1        | 1.013       |
| *0139Q    |            |           | 1.8±0.1        | 1.136       |
| *0139F    |            |           | 2.0±0.15       | 1.257       |
| 0139T     |            |           | 2.5±0.2        | 1.558       |
| *0139G    |            |           | 3.0±0.15       | 1.854       |
| *0184     |            |           | 45             | 1.2(一短边2.5) |
| 050017    |            | 50        | 4.0            | 2.686       |
| 050447    | 76.2±0.46  | 25.4±0.46 | 1.52+0/-0.3    | 0.831       |
| GC093     | 76.2       | 25.4      | 3.18±0.2       | 1.642       |
| 050411    | 76.2±0.6   | 38.1±0.9  | 1.14+0.15/-0.1 | 0.708       |
| 050409    | 76.2±0.41  | 38.1±0.25 | 1.52           | 0.921       |
| 050414    | 76.21±0.25 | 38.1±0.25 | 2.54           | 1.506       |
| ☆050566   | 76.2       | 38.1      | 1.52           | 0.933       |
| SRH-257A  |            |           | 1.1±0.1        | 0.668       |
| ☆050637   |            |           | 2.16           | 1.313       |
| 050371    |            | 50.8      | 2.84+0.15/-0.1 | 1.908       |
| 050511    |            |           | 3.18           | 2.094       |
| *Z213     | 76.2       | 44.45     | 3.0±0.15       | 1.857       |
| ☆050212-A |            | 50.8      | 3.175          | 2.118       |
| 050212    |            | 50.8      | 3.175          | 2.118       |
| GCB-0670  |            | 20        | 0.75           | 0.400       |
| 3F-021    |            |           | 0.8±0.15       | 0.427       |
| 0125      |            |           | 0.9±0.1        | 0.479       |
| 050698    |            | 25        | 0.9±0.1        | 0.503       |
| 0122      |            |           | 1.2±0.15       | 0.667       |
| 0122B     |            |           | 1.1+0.05/-0.1  | 0.613       |
| 0122C     |            |           | 1.4            | 0.745       |
| 0174      |            | 40        | 1.0±0.1        | 0.640       |
| 050109    |            |           | 0.925          | 0.592       |
| 050032    |            |           | 1.2±0.15       | 0.765       |

|           |      |      |               |             |       |
|-----------|------|------|---------------|-------------|-------|
| 050454    | 80   | 44   | 1.6           | 1.013       |       |
| 050334    |      |      | 3.0±0.15      | 1.854       |       |
| 0123      |      |      | 1.2±0.15      | 0.791       |       |
| 0123C     |      |      | 1.4           | 0.920       |       |
| 050033    |      |      | 1.5±0.15      | 0.984       |       |
| ☆050659   |      |      | 50            | 1.2         | 0.830 |
| 050207    |      |      |               | 1.4         | 0.965 |
| 050206    |      |      |               | 2.0         | 1.366 |
| 050342    |      |      |               | 2.0+0/-0.25 | 1,366 |
| 050475    |      |      |               | 3           | 2,016 |
| ☆050630   | 81.6 | 20   | 0.8+0.1/-0.2  | 0,434       |       |
| 050389    | 83   | 19   | 0.9±0.1       | 0,482       |       |
| 050524    | 83   | 20   | 0.8+0.1/-0.2  | 0,44        |       |
| 050273    |      | 15   | 1,5           | 0,772       |       |
| 050516    | 85   | 19   | 0.9           | 0.490       |       |
| 050456    |      | 19   | 0.8+0.1/-0.2  | 0.436       |       |
| ☆050655   |      | 25   | 1.4           | 0.813       |       |
| 050122    |      | 30   | 窄边2.5,宽边2.0   | 1.274       |       |
| 050113    |      | 35   | 1.5±0.15      | 0.951       |       |
| 050102    | 86   | 25   | 1.1±0.15      | 0.649       |       |
| 050103    |      | 44   | 1.1±0.15      | 0.762       |       |
| 050096    | 87   | 20   | 0.9±0.1       | 0.513       |       |
| QZ8709F   | 87.5 | 25   | 0.8+0.05/-0.2 | 0.478       |       |
| *0186     | 88   | 25   | 1.2±0.15      | 0.719       |       |
| 0188      |      | 44   | 1.2±0.15      | 0.843       |       |
| 050513    |      | 44   | 1.4±0.15      | 0.980       |       |
| 050504    |      | 44   | 2.0±0.15      | 1.388       |       |
| 0189A     | 90   | 25   | 0.9±0.1       | 0.552       |       |
| 0189B     |      |      | 1.1+0.05/-0.1 | 0.673       |       |
| 0189      |      |      | 1.2+0.1/-0.05 | 0.732       |       |
| 0189C     |      |      | 1.4±0.1       | 0.851       |       |
| 0189F     |      |      | 1.0±0.1       | 0.613       |       |
| 0189H     |      |      | 1.2±0.1       | 0.732       |       |
| 050281    |      | 25   | 2.0           | 1.203       |       |
| 050198    |      | 35   | 1.0           | 0.667       |       |
| 050199    |      |      | 0.9           | 0.601       |       |
| YL-168057 | 90.4 | 43.5 | 2,5           | 1.740       |       |



| 050082    | 91.1           | 52.5          | 2.5           | 1.878 |
|-----------|----------------|---------------|---------------|-------|
| 050095    | 96             | 23            | 0.9±0.15      | 0.572 |
| ☆050095S  |                |               | 1.2+0.05/-0.1 | 0.758 |
| 050295    | 96.8           | 46.8          | 1,2           | 0.918 |
| GCB-0669  | 100            | 20            | 0.75±0.15     | 0.482 |
| 3F-019    |                |               | 0.8±0.15      | 0.513 |
| 050111    |                |               | 0.955         | 0.611 |
| 0126      |                |               | 1.0           | 0.640 |
| 050530    |                |               | 2.0           | 1.257 |
| 0133A     |                |               | 25            | 0.9   |
| ☆0133M    |                | 1.0±0.1       |               | 0.667 |
| 0133B     |                | 1.1+0.05/-0.1 |               | 0.732 |
| 0133      |                | 1.2+0.1/-0.05 |               | 0.799 |
| 0133C     |                | 1.4±0.1       |               | 0.927 |
| *0133K    |                | 1.6±0.1       |               | 1.056 |
| *0133T    |                | 1.8±0.1       |               | 1.184 |
| *0133F    |                | 2.0+0.3/-0    |               | 1.407 |
| *0133G    |                | 3.0±0.2       | 1.935         |       |
| 050492    |                | 30            | 1.2±0.15      | 0.830 |
| 050077    |                |               | 2.3±0.15      | 1.562 |
| 0132      |                |               | 3.0±0.15      | 2.016 |
| YL-178002 |                | 38            | 2.0           | 1.447 |
| 050018    |                | 38            | 2.3           | 1.663 |
| 0171      |                | 40            | 1.1           | 0.822 |
| *0144A    | 44             | 0.9           | 0.694         |       |
| *0144B    |                | 1.1+0.05/-0.1 | 0.845         |       |
| 0144      |                | 1.2+0.1/-0.05 | 0.921         |       |
| *0144C    |                | 1.4±0.1       | 1.071         |       |
| *0144K    |                | 1.6±0.1       | 1.221         |       |
| *0144Q    |                | 1.8±0.1       | 1.370         |       |
| *0144F    |                | 2.0±0.15      | 1.518         |       |
| 0144T     |                | 2.5±0.2       | 1.883         |       |
| LXC-2218  |                | 3.0±0.15      | 2.244         |       |
| 050007    |                | 50            | 1.1±0.15      | 0.881 |
| 050491    | 1.2±0.15       |               | 0.960         |       |
| 050107    | 1.6+0.15/-0.05 |               | 1.273         |       |
| 050171    | 2.0            |               | 1.583         |       |

|            |            |           |                |       |
|------------|------------|-----------|----------------|-------|
| 050166     |            |           | 2.5            | 1.965 |
| 050003     |            |           | 3.0+0.3/-0     | 2.411 |
| 0134       |            |           | 4.75           | 3.617 |
| 050076     |            | 50        | 宽边3.0,窄边5.0    | 2.877 |
| 050191     |            | 58        | 1.4±0.15       | 1.178 |
| 050210     |            | 60        | 1.4            | 1.193 |
| 050086     |            |           | 2.8±0.15       | 2.343 |
| 050211     |            |           | 2.0            | 1.691 |
| 050201     |            | 65        | 1.5            | 1.317 |
| 050042     |            | 72        | 3.0            | 2.699 |
| 050026     |            | 76        | 1.3            | 1.222 |
| 050060     |            | 76        | 3.0±0.15       | 2.765 |
| 050587     | 101.35     | 50.55     | 3.05±0.3       | 2.366 |
| ZY5006C    |            | 10        | 1.4±0.12       | 0.826 |
| 050303     |            | 19.05     | 2.03           | 1.249 |
| SRH-421    |            | 25.4      | 1.2            | 0.810 |
| SRH-421T   |            | 25.4      | 2.4±0.15       | 1.584 |
| GC094      |            | 25.4      | 3.18±0.2       | 2.079 |
| JS013      |            | 44.45     | 1.2            | 0.934 |
| 050256     |            | 44.45     | 3.18           | 2.454 |
| ☆050639    |            | 44.45     | 3.18           | 2.452 |
| 050372     | 101.6      | 50.8      | 2.84+0.15/-0.1 | 2.308 |
| 050508     |            | 50.8      | 3.18           | 2.540 |
| 050213     |            | 50.8      | 3.175          | 2.564 |
| GC095      |            | 50.8      | 3.18±0.2       | 2.517 |
| ☆050678    |            | 50.8      | 4.76           | 3.762 |
| 050489     |            | 50.8      | 4.78±0.2       | 3.776 |
| ☆GC090-A   |            | 50.8      | 6.35           | 4.906 |
| GC090      |            | 50.8      | 6.35±0.2       | 4.808 |
| 050514     | 101.6±0.86 | 50.8±0.61 | 1.14±0.15      | 0.928 |
| 050476     | 101.6±0.86 | 50.8±0.61 | 3.05±0.18      | 2.466 |
| ☆050657    | 101.8      | 76.2      | 2.3            | 2.162 |
| ☆YL-168132 | 108        | 68        | 2.0            | 1.858 |
| YL-168058  | 108.4      | 43.5      | 2.5            | 1.983 |
| ☆YL-168177 |            | 18        | 2.0            | 1.339 |
| 9030       |            | 25        | 1.2            | 0.862 |
| 11036      |            | 30        | 2.0(两侧3.0)     | 1.616 |
| ☆050695    |            | 30        | 2.0            | 1.474 |

|            |       |       |              |       |
|------------|-------|-------|--------------|-------|
| 050200     | 110   | 65    | 短边5.0,长边3.0  | 3.387 |
| ☆YL-168174 |       | 50    | 2.0          | 1.685 |
| 050495     |       | 54    | 2.0          | 1.734 |
| 050282     |       | 55    | 1.4±0.15     | 1.231 |
| HM15503    | 112   | 47    | 3.0±0.15     | 2.488 |
| ☆050640    | 114.3 | 44.45 | 3.18         | 2.675 |
| 050333     | 114.3 | 50.8  | 3.18         | 2.789 |
| 050080     |       | 25    | 1.4          | 1.041 |
| A-8303     | 115   | 90    | 宽边5.0,窄边7.0  | 6.161 |
| E-66       |       | 98    | 6.0          | 6.537 |
| 050001     |       | 30    | 1.4±0.15     | 1.117 |
| 050194     |       | 40    | 4.0          | 3.295 |
| 050205     | 120   | 50    | 1.4          | 1.269 |
| 050204     |       | 50    | 2.0          | 1.799 |
| ☆050696    |       | 60    | 4.0          | 3.729 |
| 050019     |       | 70    | 3.0+0.3/-0.1 | 3.141 |
| 050380     | 123   | 59.5  | 3.0          | 2.870 |
| 050117     |       | 30    | 1.2          | 1.006 |
| 050699     | 127   | 50.8  | 2.0          | 1.884 |
| GC096      |       | 50.8  | 3.18±0.2     | 2.955 |
| ☆YL-168130 |       | 68    | 2.0          | 2.074 |
| 050321     | 128   | 88    | 2.5          | 2.859 |
| YL-9329    |       | 30    | 1.5          | 1.272 |
| 050163     |       | 50    | 2.0          | 1.908 |
| 050123     | 130   | 75    | 窄边2.5,宽边2.0  | 2.371 |
| 050527     |       | 90    | 1.8          | 2.111 |
| 050374     | 134   | 66    | 4.1          | 4.260 |
| SRCT-87    | 135   | 30    | 2.4±0.15     | 2.076 |
| GX-315     | 138   | 60    | 3.0          | 3.127 |
| 050039     |       | 25    | 1.1          | 0.971 |
| 050024     |       |       | 1.1          | 1.000 |
| 13008      |       | 30    | 1.3±0.15     | 1.180 |
| 13008C     | 140   |       | 1.4          | 1.269 |
| DS32       |       |       | 1.6±0.15     | 1.629 |
| 050055     |       | 50    | 3.0±0.2      | 2.992 |
| GX-216     |       | 130   | 3.0          | 4.293 |
| 050172     |       | 50    |              | 2.022 |

|            |            |           |             |       |
|------------|------------|-----------|-------------|-------|
| 050170     | 145        | 90        | 4.0         | 2.504 |
| 050176     |            | 100       | 3.0±0.15    | 3.886 |
| HM15532    | 150        | 40        | 一边2.5,三边2.0 | 2.065 |
| 050043     |            | 50        | 1.6         | 1.706 |
| 050367     |            |           | 2.0         | 2.125 |
| *050005    |            |           | 3.0±0.15    | 3.155 |
| 050041     |            |           | 4.5±0.2     | 4.658 |
| 050045     |            | 80        | 1.4+0.3/-0  | 1.909 |
| 050378     | 150.5      | 59.5      | 3.0         | 3.317 |
| 050284     | 152        | 76        | 3.0         | 3.610 |
| 050509     | 152.4      | 50.8      | 3.18        | 3.432 |
| 050561     |            |           | 6.35        | 6.690 |
| 050383     | 152.4±1.12 | 50.8±0.61 | 3.18±0.2    | 3.456 |
| 050582     | 152.4      | 76.2      | 4.76        | 5.770 |
| GC054      |            | 101.6     | 6.2         | 8.119 |
| ☆YL-168175 | 170        | 50        | 2.0         | 2.333 |
| 050232     | 172        | 80        | 2.25        | 3.018 |
| *050002    | 180        | 50        | 4.0         | 4.813 |
| 050057     |            | 140       | 4.0±0.2     | 6.774 |
| *050004    | 197        | 50        | 3.0+0.3/-0  | 4.114 |
| 050350     | 200        | 50        | 3.0±0.15    | 3.967 |
| 050231     |            | 80        | 3.0         | 4.455 |
| YL-168002  |            | 90        | 2.5         | 3.848 |
| 050510     | 203.2      | 50.8      | 3.18        | 4.324 |
| SRCT-86    | 210        | 40        | 2.4±0.15    | 3.178 |
| YL-168040  | 225        | 50        | 3.0         | 4.358 |
| ☆050538    | 260.5±1.0  | 51        | 两边2.8,两边3.0 | 4.919 |
| 050283     | 300        | 50        | 3.0         | 5.593 |
| 050230     |            | 80        | 4.0         | 8.065 |
| ☆050633    | 350        | 60        | 4.0         | 8.715 |

☆  
☆  
☆  
☆

注:\*为有更改的型号,☆为新增型号.

2007-08-22

| Remarks           |
|-------------------|
|                   |
|                   |
|                   |
|                   |
|                   |
|                   |
|                   |
|                   |
|                   |
|                   |
|                   |
|                   |
| 倒角4-R0.41         |
|                   |
| 倒外角4-R0.5         |
|                   |
|                   |
|                   |
|                   |
|                   |
|                   |
|                   |
|                   |
|                   |
| 内4-R1.6,外4-R2.5   |
| 外4-R1             |
| 内4-R0.79,外4-R0.79 |
|                   |
| 内4-R1,外4-R2.5     |
| 4-R2.0            |
|                   |
|                   |
|                   |
|                   |

|                        |
|------------------------|
|                        |
|                        |
|                        |
|                        |
|                        |
| 改重量                    |
| 外4-R4.83,内4-R2.29,内有ID |
| 内4-R0.5,外4-R1          |
| 外4-R0.99,内有V槽          |
|                        |
|                        |
| 内4-R1.91,外4-R1.52      |
| 内4-R1,外4-R2.5          |
|                        |
|                        |
| 外4-R2.0 (无模具)          |
| 三水广成开模                 |
| 内有V槽                   |
|                        |
|                        |
|                        |
|                        |
|                        |
|                        |
| 有一面壁厚为1.0              |
|                        |
|                        |
|                        |
|                        |
|                        |
|                        |
|                        |
|                        |
|                        |
|                        |
|                        |
|                        |
|                        |
| 外两个大面有凹槽               |
|                        |
| 外4-R3,内4-R1.5          |

2004-07-31改图号

|                        |               |
|------------------------|---------------|
|                        | 2005-1-28     |
| 外4-R3,内4-R1.5          |               |
| 改重量                    |               |
| 外4-R5.0,内4-R1.0        |               |
| 外4-R5.0,内4-R2.0        |               |
|                        |               |
| 外4-R3.51,内4-R1.91      |               |
| 内4-R6.35,外4-R3.81,内有ID |               |
| 外4-R3.18,内有ID          |               |
| 外4-R3.99,内4-R2.97      |               |
| 外4-R3.99,内4-R2.62      |               |
| 外4-R4,内4-R3.1          |               |
| 外4-R3.5,内4-R1.3        |               |
|                        |               |
| 外4-R5.0,内4-R2.0        |               |
| 外4-R5.0,内4-R2.0        |               |
| 内外4-R1,内一边IDR0.3       |               |
|                        |               |
|                        |               |
|                        | 已退模2004-11-04 |
|                        |               |
| 改重量                    |               |
|                        |               |
|                        |               |
|                        |               |
|                        |               |
| 外4-R0.6                |               |
| 外4-R6,内4-R3            |               |
| 外带装饰线                  |               |
|                        |               |
|                        |               |
| 外内R3.17,内有ID           |               |
|                        |               |
|                        |               |
|                        |               |

|                |     |
|----------------|-----|
| 改重量            |     |
|                |     |
|                |     |
| 外4-R0.5        |     |
|                |     |
| 两端FR,大面中间有一条根  |     |
| 外倒4-R1.5       |     |
|                |     |
|                |     |
|                |     |
|                |     |
| 三水广成开模         |     |
|                |     |
|                |     |
| 有一面倒2-R3       |     |
|                |     |
|                |     |
| 改壁厚            |     |
|                |     |
| 50±0.25,25±0.2 |     |
|                |     |
|                |     |
|                |     |
|                |     |
|                |     |
|                |     |
|                |     |
|                |     |
|                |     |
|                |     |
|                |     |
| 改重量            |     |
| 改型号,重量         | 无模具 |
|                |     |
|                |     |



|                         |
|-------------------------|
|                         |
|                         |
|                         |
| 内有1-V槽                  |
|                         |
|                         |
| 外4-R3.51, 内4-R1.91      |
|                         |
| 内有ID                    |
|                         |
| 外4-R6.35, 内4-R1.59      |
| 按美国标准验收                 |
|                         |
| 外4-R2.03,内4-R0.76,外有2ID |
|                         |
| 外4-R5.0, 内4-R1.0        |
| 外4-R5.0, 内4-R2.0        |
|                         |
|                         |
|                         |
|                         |
|                         |
|                         |
|                         |
|                         |
|                         |
| 内4-R0.5                 |
|                         |
|                         |
| 内4-R0.5                 |
|                         |
|                         |
|                         |
| 倒R1.5                   |
| 外4-R1.96,内4-R0.79       |
|                         |
|                         |
|                         |

|                   |     |
|-------------------|-----|
| 4-R0.5            | 无模具 |
| 外4-R3.0,内4-R1.6   |     |
|                   |     |
| 外带装饰线             |     |
| 倒R0.5             |     |
|                   |     |
| 外倒4-R6.0,内倒4-R4.0 |     |
|                   |     |
|                   |     |
|                   |     |
|                   |     |
| 无装饰面              |     |
|                   |     |
| 外4-R1             |     |
| 外4-R1             |     |
|                   |     |
| 外4-R2, 内4-R1      |     |
|                   |     |
| 外4-R0.5           |     |
|                   |     |
|                   |     |
| B侧带装饰线            |     |
|                   |     |
|                   |     |
| 改型号               |     |
|                   |     |
| 改型号               |     |
|                   |     |
| 改型号               |     |
| 改型号,壁厚            |     |
|                   |     |
| 改型号               |     |
|                   |     |
|                   |     |
| 改重量               |     |
|                   |     |

|                  |
|------------------|
|                  |
| 内倒4-R6.0         |
|                  |
| 改型号              |
|                  |
|                  |
| 改型号              |
| 改型号              |
| 改型号              |
| 改型号              |
|                  |
| 改型号              |
| 注明壁厚             |
| 改重量              |
|                  |
|                  |
|                  |
| 外4-R3,内4-1.48    |
| 外4-R3.5,内4-R0.61 |

|          |
|----------|
|          |
| 外4-R0.38 |
|          |
| 外4-R3.17 |
| 改重量      |
|          |
|          |
|          |
|          |
|          |
|          |
|          |
|          |
|          |
| 无模!      |
|          |
|          |
|          |

|                                 |
|---------------------------------|
|                                 |
|                                 |
|                                 |
|                                 |
|                                 |
|                                 |
|                                 |
|                                 |
|                                 |
|                                 |
|                                 |
| 外4-R2, 内4-R1.1                  |
|                                 |
|                                 |
| 外4-R2.6, 内4-R1.7                |
| 外4-R2.6, 内4-R1.8                |
|                                 |
|                                 |
|                                 |
| 改壁厚                             |
| 改壁厚                             |
|                                 |
| 外4-R1.0, 内4-R0.3, 2个V=0.25XR0.3 |
| 改重量                             |
|                                 |
|                                 |
|                                 |
|                                 |
|                                 |
|                                 |
|                                 |
|                                 |
|                                 |
|                                 |
|                                 |
|                                 |
|                                 |
|                                 |

无模具

4-R0.8

退模2004-10-22

改型号

改型号

改重要

改型号

改型号

无模具

改壁厚

改型号

改型号

改型号

改型号

|                         |
|-------------------------|
|                         |
| 改重量                     |
|                         |
| 内4-R5                   |
|                         |
|                         |
|                         |
|                         |
|                         |
|                         |
|                         |
|                         |
| 外4-R7.82, 内4-R4.78      |
|                         |
| 外4-R6.35, 内4-R3.81,内有ID |
|                         |
| 内、外R0.5                 |
|                         |
| 外4-R0.25, 内4-R0.79      |
|                         |
|                         |
| 外4-R3.17                |
|                         |
| 内、外R0.5                 |
| 内外倒R4.76,内一边有ID         |
| 倒R0.4,按美国标准验收           |
| 内有ID                    |
|                         |
| 倒R0.4                   |
| 按美国标准验收                 |
|                         |
|                         |
|                         |
| 无装饰面                    |
|                         |
|                         |
|                         |

无模具

|                    |  |  |  |  |  |
|--------------------|--|--|--|--|--|
| 外有V槽               |  |  |  |  |  |
| 无装饰面               |  |  |  |  |  |
|                    |  |  |  |  |  |
|                    |  |  |  |  |  |
|                    |  |  |  |  |  |
| 外4-R0.25, 内4-R0.79 |  |  |  |  |  |
|                    |  |  |  |  |  |
| 内4-R2.0            |  |  |  |  |  |
|                    |  |  |  |  |  |
|                    |  |  |  |  |  |
|                    |  |  |  |  |  |
|                    |  |  |  |  |  |
| 改重量                |  |  |  |  |  |
|                    |  |  |  |  |  |
|                    |  |  |  |  |  |
| 侧面中间有一个V           |  |  |  |  |  |
| 内外R0.5             |  |  |  |  |  |
|                    |  |  |  |  |  |
|                    |  |  |  |  |  |
|                    |  |  |  |  |  |
|                    |  |  |  |  |  |
|                    |  |  |  |  |  |
|                    |  |  |  |  |  |
|                    |  |  |  |  |  |
| 内外R0.5             |  |  |  |  |  |
|                    |  |  |  |  |  |
| 内带2-V槽             |  |  |  |  |  |
|                    |  |  |  |  |  |
|                    |  |  |  |  |  |
|                    |  |  |  |  |  |
|                    |  |  |  |  |  |
| 内4-R2              |  |  |  |  |  |
|                    |  |  |  |  |  |
|                    |  |  |  |  |  |
|                    |  |  |  |  |  |

|             |
|-------------|
|             |
|             |
|             |
| 外4-R0.5     |
|             |
| 改重量         |
|             |
| 内4-R0.5,改重量 |
|             |
|             |
| 外4-R3.17    |
|             |
|             |
|             |
| 内、外8-R0.41  |
| 无装饰面        |
|             |
| 改壁厚         |
| 内4-R2       |
| 改重量         |
|             |
|             |
|             |
| 外4-R3.17    |
|             |
|             |
|             |
|             |
|             |
|             |



















